



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/519,338	09/19/2005	Reto Lorf	MEISS71.022APC	9313
29995 7590 12/28/2009 KNOBBE MARTENS OLSON & BEAR LLP 2040 MAIN STREET FOURTEENTH FLOOR IRVINE, CA 92614				
EXAMINER				
BOWMAN, ANDREW J				
ART UNIT		PAPER NUMBER		
1792				
NOTIFICATION DATE		DELIVERY MODE		
12/28/2009		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

jcartee@kmob.com
eOAPilot@kmob.com

Office Action Summary

Application No.

10/519,338

Applicant(s)

LERF, RETO

Examiner

ANDREW BOWMAN

Art Unit

1792

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 November 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 8-25, 29-36 and 42-46 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 8-25, 29-36 and 42-46 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB06)
Paper No(s)/Mail Date 11/13/09
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Claims 8-25, 29-36, and 42-46 remain pending in the current application.

Response to Arguments

It should be noted that the current case is being handled by a new examiner. The examiner will be responding to the previous arguments made as normal, but the examiner strongly urges the applicant to request an interview with the examiner in order to clarify details of the case that have previously been discussed as well as areas of contention between the previous examiner and the applicant in order to expedite the current application.

Regarding the teaching of Steinemann relating to pits and pores, the examiner reiterates that Steinemann clearly refers to the two in a different light as previously indicated by the examiner in a previous action, including citation. Further, although the cited portion by the applicant relating to Steinemann does not teach the significance of sand-blasting, Steinemann does teach that the step may occur and the examiner has previously provided details as to why one would perform it. The statement that the acid destroys sand-blasted pits appears to be entirely speculative, and not supported by scientific evidence or data. The examiner further stands by the cited references and motivation related to the use of Steinemann. Further, the examiner stands by the previous statement relating to the teachings of Steinemann that he teaches creating a roughness by this method and not an open-pored porosity.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 2, 6-8, 10-12, 15-20, 22, 26-31, 37, 40-42, 44, and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pilliar 3,855,638 in view of Steinemann et al. 5,456,723.

Re claims 1, 2, and 37, Pilliar teaches the invention substantially as claimed including an open-pored surface layer comprising biocompatible metal with particles having a particles size in a range of approximately 50-800 microns (col.4, 1.39) with a thickness in a range from 0.1 mm to 2.5mm inclusive (col.4, 11.21-33) and the porosity of the open-pored surface layer in a range from 20% to 80% (col.11, 11.1-2). However, Pilliar does not disclose that the open pored layer further comprises pits as roughening having a diameter in the range of 0.1-2.5 microns. Steinemann teaches a porous metallic implant, in the same field of endeavor, comprising a porous surface with a surface roughness of 2 μ m or less

(co1.3, 11.1-5 and 23-25; clm.1), for the purpose of improving the interface between bone and implant such that bone readily grows into the implant and the bond between the implant and bone is capable of resisting all of the mechanical forces it will be exposed to during its use (co1.2, 11.45-50). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the porous surface disclosed by Pilliar in view of the sub- micrometer surface roughness taught by Steinemann in order to improve adhesion of the mating bone with the implant along the contact surface and to quickly form a strong and durable bond as taught by Steinemann, co1.3, 11.20-23. Note that the process by which the product is produced is not germane to the issue of patentability in an apparatus claim.

Re claims 6 and 40, see Pilliar co1.2, 11.65-67 and Steinemann claim 5.

Re claim 7, see Pilliar co1.8, 11.33-36.

Re claim 8, Pilliar discloses the invention substantially as claimed including a method of producing an implant comprising applying at least one layer of a biocompatible metal or an alloy thereof to a surface of the implant, to produce an implant surface comprising an open-pored structure with a porosity in a range of between about 20% and 85% (co1.8, 11.9-38; co1.11,11.1-2). However, Pilliar does not disclose producing a surface micro-structure on the open-pored structure. Steinemann teaches a method of making a porous metallic implant, in the same field of endeavor, comprising producing a surface micro-structure on a porous structure (co1.3, 11.1-5 and 23-25; clm.1), for the purpose of improving

the interface between bone and implant such that bone readily grows into the implant and the bond between the implant and bone is capable of resisting all of the mechanical forces it will be exposed to during its use (co1.2, 11.45-50). It would have been obvious to one of ordinary skill in the art at the time of the invention to produce a micro-structure on the porous surface disclosed by Pilliar as taught by Steinemann in order to improve adhesion of the mating bone with the implant along the contact surface and to quickly form a strong and durable bond.

Re claims 10 and 11, see Pilliar co1.8, 11.57-60.

Re claim 12, see Pilliar co1.7, 11.29-32.

Re claim 15, see Pilliar co1.7 11.37-40.

Re claim 16, see Pilliar co1.7 11.49-51.

Re claim 17, see Pilliar co1.4 11.38-40.

Re claim 18, see Pilliar co1.4 11.21-33.

Re claim 19, see Pilliar co1.7 1.47.

Re claim 20, see Pilliar co1.2 11.65-67.

Re claims 22 and 31, see Steinemann clm.I.

Re claims 26-28, see Pilliar co1.5, 11.38-40 for the intended use of the device

Re claims 29 and 30, see Pilliar co1.8, 11.9-38.

Re claims 41,42, and 44, Pilliar in view of Steinemann discloses the invention substantially as claimed, but does not specifically disclose that the average diameter of the pores is 300 microns. However, it has been held that where the

general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art (In re Aller, 220 F.2d 454,456, 105 USPQ 233, 235 (CCPA 1955), MPEP 2144.05 II A). Because Pilliar discloses that the pores may be about 200 microns in diameter, it would have been obvious to try varying the pore size to achieve the optimal bone ingrowth to arrive at a specific average pore size.

Re claim 45, as Steinemann discloses a surface micro-structure on a porous surface, the porous surface is preserved as claimed.

5. Claims 8, 11-14, 17, 18, 20, 22, 26-31,42, and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimamune 5,034,186 in view of Steinemann et al. 5,456,723.

Re claim 8, Shimamune teaches a method of producing an implant comprising applying at least one layer of a biocompatible metal or an alloy thereof to a surface of the implant to produce an implant surface (co1.1, 1.59-co1.2, 1.2, and co1.4, 11.55-57) comprising an open pored structure with a porosity in a range between about 20% and 85% (co1.2, 11.64-66). However, Shimamune does not disclose the step of producing a surface micro-structure on the open-pored structure. Steinemann teaches a method of making a porous metallic implant, in the same field of endeavor, comprising producing a surface micro-structure on a porous structure (co1.3, 11.1-5 and 23-25; c1m.1), for the purpose of improving the interface between bone and implant such that bone readily grows into the implant and the bond between the implant and bone is capable of resisting all of

the mechanical forces it will be exposed to during its use (co1.2, 11.45-50).

It would have been obvious to one of ordinary skill in the art at the time of the invention to produce a micro-structure on the porous surface disclosed by Shimamune as taught by Steinemann in order to improve adhesion of the mating bone with the implant along the contact surface and to quickly form a strong and durable bond.

Re claim 11, Shimamune further teaches a method wherein the at least one layer applied to the virgin surface of the implant is sintered (co1.3, 1.9).

Re claim 12, Shimamune further teaches a method wherein materials are selected from the group consisting of binders, and sintering adjuvants (co1.2, 1.67).

Re claim 13, Shimamune further teaches a method wherein as sintering adjuvant there is used a sintering adjuvant metal (col.2, 11.27-28) which, together with the biocompatible metal or alloy thereof, forms a low-melting eutectic (co1.2, 11.28-44).

Re claim 14, Shimamune further teaches a method wherein sintering is carried out in vacuo (co1.1, 11.66-68).

Re claims 17 and 20, see Shimamune co1.2, 11.54-58.

Re claim 18, see Shimamune co1.4, 11.29-31.

Re claims 22 and 31, see Steinemann clm.I.

Re claims 26-28, see Shimamune co1.4, 1.57.

Re claims 29, 30, and 42, see Shimamune co1.2, 11.64-66.

Re claim 45, as Steinemann discloses a surface micro-structure on a porous surface, the porous surface is preserved as claimed.

6. Claims 8, 9, 33-35, 43, 45, and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rowe et al. 4,542,539 in view of Steinemann et al. 5,456,723.

Rowe discloses the invention substantially as claimed including applying at least one layer of a biocompatible metal or an alloy thereof comprising particles having a particle size in a range of about 50-800 microns (co1.7, 11.65-66) to a virgin surface of an implant to produce an open-pored implant surface (figs. 1-4) wherein the open-pored implant surface is produced by a plasma spraying method (co1.5, 11.45-48) such that an open- pored structure is generally maintained (figs.1-3) and the average pore diameter is 300 microns (co1.5, 11.38-40). However, Rowe does not specifically disclose the step of producing a micro-structure on the open-pored implant surface. Steinemann teaches a method of making a porous metallic implant, in the same field of endeavor, comprising producing a surface micro-structure on a porous structure (co1.3, 11.1-5 and 23-25; clm.1), for the purpose of improving the interface between bone and implant such that bone readily grows into the implant and the bond between the implant and bone is capable of resisting all of the mechanical forces it will be exposed to during it's use (co1.2, 11.45-50). It would have been obvious to one of ordinary skill in the art at the time of the invention to produce a micro-structure on the porous surface disclosed by Rowe as taught by Steinemann in order to improve

adhesion of the mating bone with the implant along the contact surface and to quickly form a strong and durable bond.

Re claims 45 and 46, as Steinemann discloses a surface micro-structure on a porous surface, the porous surface is preserved as claimed.

7. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pilliar 3,855,638 in view of Steinemann et al. 5,456,723, as applied to claim 8 above, and further in view of Pilliar 4,206,516.

Pilliar '638 in view of Steinemann teaches the invention substantially as claimed but does not teach a method wherein the biocompatible metal is used in the form of a metal hydride powder. Pilliar '516 teaches a method of making a coating, in the same field of endeavor, wherein the biocompatible metal is used in the form of a metal hydride powder (col.2, 11.46-49), for the purpose of providing a thermally decomposable compound (col.2, 11.50- 51). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to substitute the biocompatible metal of Pilliar '638 as modified by Steinemann with the metal hydride powder taught by Pilliar '516 in order to provide a thermally decomposable compound.

8. Claim 36 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rowe et al. 4,542,539 in view of Steinemann et al. 5,456,723 as applied to claim 33 above, and further in view of Landry 2004/0030387.

Rowe in view of Steinemann discloses the invention substantially as claimed. However, Rowe in view of Steinemann does not disclose that the surface

microstructure comprises a biocompatible metal applied as particles having a particle size in a range from 0.01-5 microns. Landry teaches an implant, in the same field of endeavor, wherein the bone- contacting surface may be roughened for the purpose of promoting osteointegration. Landry further teaches that the surface may be roughened by etching or embedding particles in the surface (pars.15, 91). It would have been obvious to one of ordinary skill in the art at the time of the invention to substitute the step of embedding particles in the implant surface as taught by Landry for the etching step taught by Steinemann as they are taught by Landry to be obvious equivalents of one another for the purpose of providing roughness to an implant surface to promote osteointegration. Note that because Steinemann discloses that the roughness should be about 2 microns, it would have been further obvious to use particles this size to achieve the same resultant roughness.

9. Claims 4, 5, 23-25, 32, 38, and 39, are rejected under 35 U.S.C. 103(a) as being unpatentable over Pilliar 3,855,638 in view of Steinemann et al. 5,456,723, as applied to claims 1, 8, and 37 above, and further in view of Landry 2004/0030387.

Pilliar in view of Steinemann discloses the invention substantially as claimed and as discussed above. However, Pilliar in view of Steinemann does not disclose that the surface microstructure is created by application of fine biocompatible particles having a particle size in a range from 0.01-5 microns.

Landry teaches an implant, in the same field of endeavor, wherein the bone-

contacting surface may be roughened for the purpose of promoting osteointegration. Landry further teaches that the surface may be roughened by etching or embedding particles in the surface (pars.15, 91).

It would have been obvious to one of ordinary skill in the art at the time of the invention to substitute the step of embedding particles in the implant surface as taught by Landry for the etching step taught by Steinemann as they are taught by Landry to be obvious equivalents of one another for the purpose of providing roughness to an implant surface to promote osteointegration. Note that because Steinemann discloses that the roughness should be about 2 microns, it would have been further obvious to use particles this size to achieve the same resultant roughness.

Re claim 24, Pilliar teaches application of fine biocompatible particles applied by a sol-gel method using a binder (co1.7, 11.29-32). As Landry teaches that the surface may be roughened by attaching particles to the surface, it would have been obvious to use the sol-gel method of attaching biocompatible particles taught by Pilliar to do so as this is a well known technique.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANDREW BOWMAN whose telephone number is (571)270-5342. The examiner can normally be reached on Monday through Friday (7:30 to 5:00)EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached on 571-272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Andrew J Bowman
Examiner
Art Unit 1792

/FRANKIE L. STINSON/
Primary Examiner, Art Unit 1792